Missing Tissue is the Issue: Considerations in Orbital Reconstruction

Jeremy F Tan, MD

Clinical Associate Professor

Dean McGee Eye Institute

Department of Oculofacial Plastic and Reconstructive surgery 608 Stanton L Young Boulevard | Oklahoma City, OK 73104

Oklahoma University Health Sciences Center

Financial Disclosures

- Speaker Bureau
 - Tepezza
 - Kerecis

Goals

- Review thought process of reconstruction of orbital defects
 - Globe sparing cases
- Introduce usage of intact acellular fish skin xenograft for replacement of medial wall and floor defects for orbital support

Etiology

- Trauma
 - Acute
 - Chronic
- Post resection
- Congenital

Etiology

- Trauma
 - Acute
 - Chronic
- Post resection
- Congenital

Trauma

- Acute
 - Mechanism
 - Motility exam
 - Size of fracture with globe position

Trauma

- Acute
 - Mechanism
 - Motility exam
 - Size of fracture with globe position

Mechanisms of injury

- Gun shot
- Firework
- Knife, blade and handle
- Grinding wood, metal, tile
- Landscaping injury
- Farm equipment
- Motor vehicle, motor bike, ATV
- Falls- standing, off ladder,
- Livestock/large animal injury
- Fist, foot, knee, elbow, head
- Softball, baseball
- Lock in sock, bat

Mechanisms of injury

- Gun shot
- Firework
- Knife, blade and handle
- Grinding wood, metal, tile
- Landscaping injury
- Farm equipment
- Motor vehicle, motor bike, ATV, Walked into train
- Falls- standing, off ladder, fell of bridge
- Livestock/large animal injury
- Fist, foot, knee, elbow, head, my own knee
- Softball, baseball
- Lock in sock, bat

Mechanisms of injury

- Gun shot
- Firework
- Knife, blade and handle
- Grinding wood, metal, tile
- Landscaping injury
- Farm equipment
- Motor vehicle, motor bike, ATV, Walked into train
- Falls- standing, off ladder, fell of bridge
- Livestock/large animal injury
- Fist, foot, knee, elbow, head, my own knee
- Softball, baseball
- Lock in sock, bat



Trauma


- Acute
 - Mechanism
 - Motility exam
 - Size of fracture with globe position

Balance and Motility

- Deficient movement
 - Intrinsic forces
 - Weak, nerve injury- distal peripheral versus cranial nerve
 - Extrinsic forces
 - Restricted
 - Entrapment, tethering, orbital edema

FINDINGS WITH EOM


- Double vision
 - Inequivalent yoking
- Pain
 - Suggests tethering or capture of muscle/fat
 - Edema and direct contusion
- Nausea, vomiting,
 - Oculocardiac reflex



Afferent- Trigeminal Efferent- Vagal









CONSIDERATIONS





MANAGEMENT OF RESTRICTED EOM

- ADULT/SWOLLEN
 - Telemetry (OCR)
 - Consider steroid (+/-antibiotic)
 - TIME

- CHILD/QUIET
 - Telemetry (OCR)
 - Timely intervention
 - Steroid before/after



Trauma

- Acute
 - Mechanism
 - Motility exam
 - Size of fracture with globe position

CONSIDERATIONS







Etiology

- Trauma
 - Acute
 - Chronic
- Post resection
- Congenital


- Support
- Barrier
- What do you have available
- What concerns peri/post

- Support
 - Globe position, alignment, motility
- Barrier
- What do you have available
- What concerns peri/post









- Support
- Barrier
 - Medial/floor/anterior roof- sinus
 - Lateral- transmission of temporalis movement
 - Roof- pulsatile exophthalmos
- What do you have available
- What concerns peri/post

Ophthalmologist

- Vision/globe salvage
 - Support
 - Barrier
 - Medial/floor/Anterior roof- sinus
 - Lateral- transmission of temporalis
 - Roof- pulsatile exophthalmos
 - What do you have available
 - What concerns peri/post





- Support
- Barrier
 - Medial/floor- sinus
 - Lateral- transmission of temporalis movement
 - Roof- pulsatile exophthalmos
- What do you have available
- What concerns peri/post

- Support
- Barrier
 - Medial/floor- sinus
 - Lateral- transmission of temporalis movement
 - Roof- pulsatile exophthalmos
- What do you have available
- What concerns peri/post





Ophthalmologist

- Vision/globe salvage
 - Support
 - Barrier
 - Medial/floor- sinus
 - Lateral- transmission of temporalis movement
 - Roof- pulsatile exophthalmos
 - What do you have available
 - What concerns peri/post


- Support
- Barrier
 - Medial/floor-sinus,
 - Lateral- transmission of temporalis
 - Roof- pulsatile exophthalmos
- What do you have available
- What concerns peri/post








What's Missing?

- Support
- Barrier
- What do you have available
 - From the body
 - Locally
 - Distally
 - Off the shelf
 - Temporary
 - Permanent
- What concerns peri/post











- Vision/globe salvage
 - Support
 - Barrier
 - What do you have available
 - From the body
 - Locally
 - Distally
 - Off the shelf
 - Temporary
 - Permanent
 - What concerns peri/post




- Permanent
- What concerns peri/post





- Vision/globe salvage
 - Support
 - Barrier
 - What do you have available
 - From the body
 - Locally
 - Distally
 - Off the shelf
 - Temporary
 - Permanent
 - What concerns peri/post






• What concerns peri/post


- Vision/globe salvage
 - Support
 - Barrier
 - What do you have available
 - From the body
 - Locally
 - Distally
 - Off the shelf
 - Temporary
 - Permanent
 - What concerns peri/post




Vision/globe sa

- Support
- Barrier
- What do you
 - From the bo
 - Locally
 - Distally
 - Off the shell
 - Tempora
 - Permane
- What concerr





- remporary
- Permanent
- What concerns peri/post





What concerns peri/post

Ophthal




• What cor



8





What's Missing?

- Support
- Barrier
- What do you have available
 - From the body
 - Locally
 - Distally
 - Off the shelf
 - Temporary
 - Permanent
- What concerns peri/post

Space

Space





Space

Sphenoid wing meningioma




















Total Deviation

40 40 40 40 2

GHT: Outside Normal Limits

VFI: 1% MD24-2: -32.96 d8 P < 0.5% Pottern Deviation PSD24-2: 2.21 d8 P < 5%



Healing

Healing

Infection




Healing


Radiation








Cases







Pre Post 6 months











Pre





Post 3 months

Post 6 months



Pre








Post 8 weeks

Post 4 months (1 month post radiation)





Pre





Resection: OR







Post-1 month





pre Post-4 months

Consider

- Barriers necessary
 - Rigid versus soft support
 - What environment will reconstruction be in
- Space necessary
 - Optic nerve function
- Decrease morbidity from implant itself
 - Infection
 - Extrusion
 - migration

References

- Finger, P. Radiation Therapy for Orbital Tumors: Concepts, Current Use, and Ophthalmic Radiation Side Effects . SURVEY OF OPHTHALMOLOGY VOLUME 54 NUMBER 5 SEPTEMBER—OCTOBER 2009
- <u>Kurt Laedrach</u>, M.D., D.M.D., <u>Anton Lukes</u>, M.D., and <u>Joram Raveh</u>, M.D., D.M.D., Reconstruction of Skull Base and Fronto-orbital Defects following Tumor Resection. <u>Skull Base</u>. 2007 Jan; 17(1): 59–72.
- Rohan Verma ¹, Allison J Chen ², Jennifer Murdock ¹, Mathew Geltzeiler ³, Mark K Wax ³, Roger A Dailey ¹, John D Ng ^{1 3} Acellular cadaveric dermal matrix grafts for orbital wall reconstruction in patients with sinonasal malignancies. Orbit. 2023 Feb;42(1):25-29.
- Steinberger, Elise E.; Vogt, Ashtyn Z.; Tan, Jeremy F. Skin and Bone: Intact Fish Skin to Reconstruct Traumatic Orbital Floor and Wall Defects. Ophthalmic Plastic and Reconstructive Surgery ():10.1097/IOP.00000000000002594, January 17, 2024. | DOI: 10.1097/IOP.0000000000002594

Thank You



405-271-1096

Dean McGee Eye Institute Oklahoma City, OK USA

